Efficient large area cleaning

The Nilfisk SC6000 is a next generation ride-on scrubber dryer with the size, speed, and technology to clean large indoor areas – at an extremely low Total Cost of Ownership.

Available in 3 different versions, SC6000 will be the ideal solution for many companies, industries, and cleaning contractors dealing with large indoor areas such as production sites, warehouses, supermarkets, airports, parking garages and other logistical centers.

Saving both water and detergent, this user-friendly machine is designed to deliver hours of superior cleaning and drying

performance at a high speed. Robust and reliable, the battery powered SC6000 is built to last with limited need for service and maintenance, making it the right choice when you want efficient cleaning with an absolute minimum of downtime.

SC6000 comes with the intelligent SmartFlowTM function automatically adjusting the solution flow according to the travel speed – and if you want to save more water, detergent, and power you can choose the optional $Ecoflex^{TM}$ system.

Dump and refill cycles will be few and far between – with the solution and recovery tanks both holding 190L and thanks to the limited use of water and detergent. Downtime is also minimized by the easy access to service



Picture shown may not represent model quoted

and maintenance, supported by the embedded diagnosis system for quick identification of any technical problems. When service needs to be carried out, tools will not be necessary for most operations, e.g. the click-on disc scrub brush system, and the easy removal of the squeegee from its support since no hose connection is needed.

So every detail of the SC6000 is designed to get the work done non-stop during its long life – at the lowest Total Cost of Ownership.

- Intermittent SmartFlow™ lever integrated into steering wheel: Reduces water flow on the deck, preventing splashes during turns
- · Speed limiter function reduces operator fatigue during cleaning especially when navigating around obstacles
- · Available in 3 different versions: 86 cm or 105 cm dual discs deck or 91 cm dual cylindrical brushes deck
- · Consistent cleaning: Designed for different types of surfaces, from smooth to tiles floors
- · Best in class drying performance thanks to the optional dual turbine
- Reliable and rugged construction in compact dimensions
- · Fully protected scrub deck and side skirts using rugged steel doors with rollers to minimize the risk of machine or facility damage
- SmartKey[™] system with two different levels of access, (super user and user keys)
- OLED display visible in even bright light conditions and from all viewing angles
- · No tools are needed to replace/change or inspect the main components of the machine: Brushes, squeegee and blades
- Click-on disc scrub brush system for simple one-touch installation of brushes or pad holders

Standard equipment

| | Included accessories | Ref. no. | Min. required | SC6000 910C | SC6000 1050D | SC6000 860D | |
|---|-------------------------------|----------|------------------|-------------|-----------------|-------------|--|
| Squeegee Bla | Squeegee Blade | | | | | | |
| P | SQUEEGEE BLADE KIT- LINATEX K | 56116705 | 1 | • | • | | |
| | SQUEEGEE BLADE KIT-LINATEX J | 56116704 | 1 | | | • | |
| Squeegee, Blade, Skirt and Splash Guard | | | | | | | |



| | Included accessories | Ref. no. | Min. required | SC6000 910C | SC6000 1050D | SC6000 860D |
|----------|------------------------|----------|------------------|-------------|-----------------|-------------|
| P | SIDE BLADE KIT-LINATEX | 56116706 | 1 | • | • | • |
| Other | | | | | | |
| S | ARM REST KIT-R/H ONLY | 56383189 | 1 | • | • | • |
| | BACK-UP ALARM KIT | 56116351 | 1 | • | • | • |
| 8 | BEACON KIT | 56116352 | 1 | • | • | • |
| | SEAT KIT-STANDARD | 56116600 | 1 | • | • | • |
| P | SMART KEY-SUPERVISOR | 56116519 | 1 | • | • | • |
| | SMART KEY-USER | 56116518 | 1 | • | • | • |

| Model | SC6000 910C | SC6000 1050D | SC6000 860D |
|---|-------------|--------------|-------------|
| Ref. no. | 56116003 | 56116004 | 56116005 |
| PRODUCT FEATURES | | | |
| Protection roller bumpers | • | • | • |
| Automatic squeegee lift in reverse | • | • | • |
| Back up warning alarm | • | • | • |
| Diagnostic system | • | • | • |
| Blades can be used on 4 edges | • | • | • |
| Click on-off brush | | • | • |
| Adjustable steering | • | • | • |
| Adjustable seat | • | • | • |
| Debris tray | • | • | • |
| Ecoflex prepared | • | • | • |
| Squeezable drain hose with flow control | • | • | • |
| SmartKey system | • | • | • |



SC6000 Scrubber dryers

Efficient large area cleaning SC6000 910C SC6000 1050D SC6000 860D Model Ref. no. 56116003 56116004 56116005 PRODUCT FEATURES One-Touch™ Button Break away Squeegee SmartFlow system Speed limiter Self-adjusting side skirts TrackClean ready Technical specifications SC6000 910C SC6000 1050D SC6000 860D Max. running time (hour) 4.5 HOURS 4.5 HOURS 4.5 HOURS Battery capacity (Ah/5) 320 320 320 36 Voltage (V) 36 36 IP protection class IPX3 IPX3 IPX3 Rated power (W) 2700 2700 2500 Brush motor (W) 750x2 750x2 750x2 600 600 Vacuum motor power (W) 600 Sound pressure level at 1.5 m (dB(A) ISO 3744) 69 69 69 8190/5730 9450/6620 7740/5420 Productivity theoretical/actual (m²/h) Handle vibration level (m/s²) < 2.5 <2.5 <2.5 1016 863 Scrubbing width (mm) 914 Sweeping path w./ single side broom (cm) 101.6 202 Min. aisle turn (cm) 202 202 2.6-3.1 - 3.7-9.4 3.1-3.7 - 5.6-9.4 2.6-3.1 - 3.7-9.4 Water flow (I/m) Solution/recovery tank (I) 190/190 190/190 190/190 Hopper volume (I) 12.2 Squeegee width (mm) 1230 1230 1090 Brush/pad diameter (mm) 180 508 430 Cylindrical brush length (mm) 904 Brush pressure (kg) up to 135 up to 90 up to 135 760 250 250 Brush speed (RPM) Brush quantity and type 2 Cylindrical 2 Disc 2 Disc 1780x1170x1580 1780x1170x1580 1780x990x1580 Length x width x height (mm) Battery compartment size (L x W x H) (mm) 438x559x610 438x559x610 438x559x610 Gross weight (gvw) (kg) 1075 1070 1070 814 816 794



Shipping weight (kg)

Gradeability transport % (DEG)

Efficient large area cleaning

 Technical specifications
 SC6000 910C
 SC6000 1050D
 SC6000 860D

 Vibration level at the operator's body (m/s²)
 <0.35</td>
 <0.35</td>
 <0.35</td>

 Max. speed (km/h)
 9 Fwd / 4.2 rev
 9 Fwd / 4.2 rev
 9 Fwd / 4.2 rev

 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

| | Accessories | Ref. no. | Min. required | SC6000 910C | SC6000 1050D | SC6000 860D |
|---------------|-----------------------------|----------|------------------|-------------|-----------------|-------------|
| Pad 17" / 432 | mm | , | | | | |
| 0 | PAD 17 432MM ECO BLACK 5PCS | 10001938 | 2 | | | 0 |
| 0 | PAD 17 432MM ECO BLUE 5PCS | 10001939 | 2 | | | 0 |
| 0 | PAD 17 432MM ECO GREEN 5PCS | 10001940 | 2 | | | 0 |
| 0 | PAD 17 432MM ECO RED 5PCS | 10001941 | 2 | | | 0 |
| 0 | PAD 17 432MM ECO TAN 5PCS | 10001937 | 2 | | | 0 |
| 0 | PAD 17 432MM ECO WHITE 5PCS | 10001936 | 2 | | | 0 |
| | PAD 17 432MM ECO BROWN 5PCS | 10001971 | 2 | | | 0 |
| Pad 20" / 508 | mm | | | | | |
| 0 | PAD 20 508MM ECO BLACK 5PCS | 10001955 | 2 | | 0 | |
| 0 | PAD 20 508MM ECO BLUE 5PCS | 10001956 | 2 | | 0 | |
| 0 | PAD 20 508MM ECO BROWN 5PCS | 10001957 | 2 | | 0 | |



| | Accessories | Ref. no. | Min. required | SC6000 910C | SC6000 1050D | SC6000 860D |
|-------------|---|----------|------------------|-------------|-----------------|-------------|
| 0 | PAD 20 508MM ECO GREEN 5PCS | 10001958 | 2 | | 0 | |
| 0 | PAD 20 508MM ECO RED 5PCS | 10001959 | 2 | | 0 | |
| 0 | PAD 20 508MM ECO WHITE 5PCS | 10001960 | 2 | | 0 | |
| Special Pad | | | | | | |
| | PAD 17 432MM ECO BRILLIANCE BLUE 2PCS | 10002337 | 2 | | | 0 |
| | PAD 17 432MM ECO BRILLIANCE GREEN 2PCS | 10002339 | 2 | | | 0 |
| | PAD 17 432MM ECO BRILLIANCE RED 2PCS | 10002336 | 2 | | | 0 |
| | PAD 17 432MM ECO BRILLIANCE YELLOW 2PCS | 10002338 | 2 | | | 0 |
| | PAD 20 508MM ECO BRILLIANCE BLUE 2PCS | 10002349 | 2 | | 0 | |
| | PAD 20 508MM ECO BRILLIANCE GREEN 2PCS | 10002351 | 2 | | 0 | |
| | PAD 20 508MM ECO BRILLIANCE RED 2PCS | 10002348 | 2 | | 0 | |
| | PAD 20 508MM ECO BRILLIANCE YELLOW 2PCS | 10002350 | 2 | | ٥ | |
| Pad Holder | | | | | | |
| | PAD HOLDER-17 3 LUG | 56505780 | 2 | | | 0 |
| | PAD HOLDER-20 3 LUG | 56505790 | 2 | | 0 | |



| | Accessories | Ref. no. | Min. required | SC6000 910C | SC6000 1050D | SC6000 860D |
|--------------|-------------------------------|----------|------------------|-------------|-----------------|-------------|
| Disc Brush 4 | 30 mm | | | | | |
| | DISC BRUSH-17 AGLITE 500 Ø430 | 56505783 | 2 | | | 0 |
| | DISC BRUSH-17 DYNAGRIT 3 LUG | 56505782 | 2 | | | 0 |
| | DISC BRUSH-17 MAGNAGRIT 3 LUG | 56505781 | 2 | | | 0 |
| | DISC BRUSH-17 MIDGRIT 3 LUG | 56505787 | 2 | | | 0 |
| 0 | DISC BRUSH-17 MIDLITE 3 LUG | 56505788 | 2 | | | 0 |
| | DISC BRUSH-17 PROLENE 3 LUG | 56505784 | 2 | | | 0 |
| | DISC BRUSH-17 PROLITE 3 LUG | 56505785 | 2 | | | 0 |
| | DISC BRUSH-17 UNION MIX 3 LUG | 56505786 | 2 | | | 0 |
| Disc Brush 5 | 10 mm | ' | | | | |
| | DISC BRUSH-20 AGLITE 3 LUG | 56505793 | 2 | | 0 | |
| | DISC BRUSH-20 DYNA GRIT 3 LUG | 56505792 | 2 | | 0 | |
| | DISC BRUSH-20 MAGNAGRIT 3 LUG | 56505791 | 2 | | 0 | |
| | DISC BRUSH-20 MIDGRIT 3 LUG | 56505797 | 2 | | 0 | |
| | DISC BRUSH-20 MIDLITE 3 LUG | 56505798 | 2 | | 0 | |
| | DISC BRUSH-20 PROLENE 3 LUG | 56505794 | 2 | | 0 | |
| | DISC BRUSH-20 PROLITE 3 LUG | 56505795 | 2 | | 0 | |
| | DISC BRUSH-20 UNION MIX 3 LUG | 56505796 | 2 | | 0 | |
| Other | | | | | | |
| | ARM REST KIT-R/H ONLY | 56383189 | 1 | • | • | • |
| | BACK-UP ALARM KIT | 56116351 | 1 | • | • | • |
| 8 | BEACON KIT | 56116352 | 1 | • | • | • |
| | BROOM 180X400MM POLYPROPYLENE | 56116858 | 1 | 0 | | |
| | BUMPER KIT-HEAVY DUTY-FRONT | 56116359 | 1 | | | |
| .8 | DELUXE SEAT KIT | 56116366 | 1 | | 0 | |



| | Accessories | Ref. no. | Min. required | SC6000 910C | SC6000 1050D | SC6000 860D |
|----------|------------------------------|----------|------------------|-------------|-----------------|-------------|
| | DRAIN HOSE EXTENSION | 56601410 | 1 | 0 | 0 | 0 |
| | DUAL VACUUM MOTOR KIT | 56116370 | 1 | | | 0 |
| | DUST GUARD KIT | 56116513 | 1 | 0 | | |
| | FOOT GUARD KIT | 56116364 | 1 | | | 0 |
| | MOP HOLDER KIT | 56116619 | 1 | | | 0 |
| | OVERHEAD GUARD KIT | 56116152 | 1 | | | |
| | OVERHEAD GUARD KIT-SHORT | 56116686 | 1 | | | 0 |
| | SEAT BELT KIT- STANDARD SEAT | 56383455 | 1 | | | |
| | SEAT KIT-STANDARD | 56116600 | 1 | • | • | • |
| | SIDE SWEEP KIT | 56116280 | 1 | | | |
| P | SMART KEY-SUPERVISOR | 56116519 | 1 | • | • | • |
| | SMART KEY-USER | 56116518 | 1 | • | • | • |
| | SOLUTION AUTO FILL KIT | 56116358 | 1 | | | |
| | SQUEEGEE GUARD KIT | 56116361 | 1 | 0 | | |
| | TRACKCLEAN SC6000 KIT | 56116731 | 1 | | | |
| | USB KIT | 56116856 | 1 | 0 | | |
| | VACUUM WAND KIT | 56116355 | 1 | | | 0 |



| | Accessories | Ref. no. | Min. required | SC6000 910C | SC6000 1050D | SC6000 860D |
|--------------|---|-----------|------------------|-------------|-----------------|-------------|
| | WASH HOSE KIT | 56116512 | 1 | | | |
| | WEIGHT KIT-STEERING COLUMN | 56116576 | 1 | | | |
| External Cha | rger | | | | | |
| €. | CHARGER HF 36V 25A SB175G | 80543626 | 1 | 0 | 0 | 0 |
| ₭. | CHARGER HF 36V 40A SB175G | 80553643 | 1 | 0 | 0 | 0 |
| Battery | | | | | | |
| | BATT.36V-280AH GEL SINGLE CELLS IN TRAY | L00210020 | 1 | | | |
| | BATT.36V-320AH WET TRAY WITH AQUAMATIC | L00200033 | 1 | | | 0 |
| | BATT. 6V-240AH GEL MONOBLOC | 80564100 | 6 | | | |
| | BATT. 6V-255AH WET SEMI T MONOBLOC | 80565000 | 6 | | | 0 |
| Squeegee Bl | ade | | | | | |
| | SQUEEGEE BLADE KIT- LINATEX K | 56116705 | 1 | • | • | |
| P | SQUEEGEE BLADE KIT-LINATEX J | 56116704 | 1 | | | • |
| | SQUEEGEE BLADE KIT-PU J | 56116707 | 1 | | | o |
| | SQUEEGEE BLADE KIT-PU K | 56116708 | 1 | 0 | 0 | |
| Squeegee, B | lade, Skirt and Splash Guard | | | | | |
| A. | SIDE BLADE KIT-LINATEX | 56116706 | 1 | • | • | • |



| | Accessories | Ref. no. | Min. required | SC6000 910C | SC6000 1050D | SC6000 860D |
|---------------|--------------------------------|----------|------------------|-------------|-----------------|-------------|
| P | SIDE BLADE KIT-PU | 56116709 | 2 | 0 | 0 | 0 |
| Ecoflex Syste | m | | | | | |
| | ECO FLEX KIT | 56116517 | 1 | | 0 | |
| Light Option | | | | | | |
| 9 | HEADLIGHT KIT | 56116371 | 1 | | | |
| On-Board Cha | arger | | | | | |
| 8 | ONBOARD CHARGER KIT-EURO | 56116627 | 1 | 0 | | 0 |
| Brush Cylindr | ical | | | | | |
| | BRUSH-CYL-80 GRIT-BLACK-7IN | 56116045 | 2 | 0 | | |
| | BRUSH-CYL-180 GRIT-BLUE-7IN | 56116044 | 2 | 0 | | |
| | BRUSH-CYL-HARD NYL-NATURAL-7IN | 56116043 | 2 | 0 | | |
| | BRUSH-CYL-POLYPRO-RED-7IN | 56116047 | 2 | 0 | | |
| | BRUSH-CYL-SOFT NYL-YELLOW-7IN | 56116046 | 2 | 0 | | |

